

1998 Cutler-Hammer Ampgard Medium Voltage, 500 HP 4160v Starter Motor Control Panel

Mfg: Cutler-Hammer

Model:

Stock No. DTTC027.

Serial No.:

1998 Cutler-Hammer Ampgard Medium Voltage Motor Control. Unit: 1C. Cat. No: S210SBE 12/98. Order No: HTA88488-001. Ref: 98-TA488S10. Power supply: 500HP 4160 V, 79.9 FLA, 1.25 SF, 60 Hz. Cutler-Hammer Ampgard Medium Voltage Motor Control. Unit: 1F. Cat. No: S210SBE. Order No: HTA88488-001. Type: SDS50VW430. Power supply: 5000 V (max. instantaneous), 4160 V, 360 amps, 60 Hz, 3 phase. Each roll out Ampgard motor starter (controller) consists of one non load-break isolating switch, one or more Type SLS vacuum-break contactors, current-limiting fuses, a set of current transformers, and some form of overload protection. The controller is designed to start, stop and protect a three-phase medium-voltage motor or may also be used to switch transformer windings or other medium voltage loads. These controllers are configured for full-voltage, non reversing, single speed applications. Overall dimensions: 36 in. L x 34 in. W x 9 ft. 3 in. H.



