

## 1992 Soavi / Niro Aseptic Homogenizer

**Mfg: Soavi / Niro**

**Model: D61**

**Stock No.: HDPW840.100**

**Serial No.: 1658**

1992 Soavi / Niro Aseptic Homogenizer. Model: D61. S/N: 1658. Maximum capacity: 1450 gph. 2-Stage hydraulic valve assembly. Plunger diameter: 2-1/2 in. Tapered seat poppet valve cylinders. Maximum operating pressure: 3625 psi. Previously used in the production of milk. Ansaldo Motor, 88 hp (66 kW), 1775 rpm, 460 V, 100 amps, 60Hz, 3 phase. Motor pulley diameter: 6-1/4 in. Gear pulley diameter: 19-3/4 in. Pulley ratio: 3.16. Final speed: 561.7 rpm. Oil pump with Ansaldo motor, 0.6 hp, 1630 rpm, 275/480 V, 1.96/1.1 amp, 60 Hz, 3 phase. Ansaldo Blower Motor, 1.7 hp, 1670 rpm, 280/480 V, 4.5/2.6 amps, 60 Hz, 3 phase. Overall dimensions: 7 ft. 7 in. L x 4 ft. 7 in. W x 5 ft. 5 in. H.(ACN977a).







