

General Analysis Corporation Brix/Diet Carbonation Monitor

Mfg: General Analysis Corporation

Model: LAN-II dz

Stock No. HDYA166.

Serial No.

General Analysis Corporation Brix/Diet Carbonation Monitor. Model: LAN-II dz. Power supply: 115 V, 60 Hz. Monitor dimensions: 2 ft. L x 1 ft. 1-1/2 in. W x 7-1/2 in. H.

Control Panel. (1) "Run" button, (1) "CIP" button, (1) "Shut-down" button. External Gear GB Series Micropump, Model: 00-655-000, P/N: 82130 0997. MagneTek Electric Motor, 0.05 hp, 1550 rpm, 115/230 V, 1.48/.74 amps, 50/60 Hz. General Analysis Corporation Flow meter, Model: 150EPD1CFG5A, S/N: 8811HC027834/2. Inlets: (2) 1/8 in. dia. compression fittings. Outlets: (2) 1/8 in. dia. compression fittings. Control panel dimensions: 2 ft. 1-1/2 in. L x 1 ft. 3 in. W x 8 in. H

American Power Conversion Uninterruptible Power Supply. Output: 120 V~60 Hz. Max total output power rating, model 900: 630 W, 7.5 A; model 1250: 900 W, 10.4 A. For use with computer loads only. Power supply dimensions: 1 ft. 5 in. L x 6-3/4 in. W x 8-1/2 in. H.

General Analysis Corporation Monitor Remote Control System. Model: RCS-1. S/N: 186. Power supply: 115 V, 60 Hz. Remote control system dimensions: 1 ft. 10 in. L x 1 ft. W x 8-1/2 in. H.

Electrical Enclosure. Electrical enclosure dimensions: 1 ft. 1 in. L x 1 ft. W x 3 ft. 5 in. H.













